



## FOH Counter Refrigerator

Sleek refrigeration counter design enhances your stylish open kitchen concept and blends with your interior design perfectly.



<sup>1</sup>FOH-HL-<sup>2</sup>2<sup>3</sup>U-<sup>4</sup>XDD

<b>1</b> Model	FOH-HL (Front-of-House Counter Refrigerator with hidden louvre for self-contained unit) FOH(L)-HL (Front-of-House Counter Freezer with hidden louvre for self-contained unit) FOH (Front-of-House Counter Refrigerator) FOH(L) (Front-of-House Counter Freezer)
<b>2</b> No. of compartments	Self-contained - 1 (1036Wmm), 2 (1549Wmm), 3 (2062Wmm) Remote - 1 (508Wmm), 2 (1036Wmm), 3 (1594Wmm)
<b>3</b> Condensing unit & louvre type	U (Self-contained) R (Remote)
<b>4</b> Configuration	D660 (660mm counter depth) X (Location of condensing unit) D (Door) N (2 drawers bank)



# FOH Counter Refrigerator

(19ømm drainage for remote type) (Ambient temperature requested : 25°C)



Model	External Dim. (mm)
FOH-HL-1U	1036x750x750H
FOH(L)-HL-1U	1036x750x750H
FOH-1R	508x750x750H
FOH(L)-1R	508x750x750H
FOH-HL-2U	1549x750x750H
FOH(L)-HL-2U	1549x750x750H
FOH-2R	1036x750x750H
FOH(L)-2R	1036x750x750H
FOH-HL-3U	2062x750x750H
FOH(L)-HL-3U	2062x750x750H
FOH-3R	1549x750x750H
FOH(L)-3R	1549x750x750H

FOH-HL-3U and FOH(L)-HL-3U need to reserve 100mm space at side for ventilation  
\* Custom-made size is available

Temperature Range (°C)  
Chiller  
**+1 / +4**  
Freezer  
**-19 / -22**





Embodies practicality and performance excellence

## FOH Counter Reference

